



PRODUCT CATALOG

NINGBO JINGYI MACHINERY MANUFACTURING CO.,LTD



 jingyi@nbjingyi.com   +86-18067194313

 +86-574-86052088  +86-574-86050818

 Wechat ID: NBJINGYI-Official  www.nbjingyi.com
www.jytrailer.com



TRAILER PARTS AND ACCESSORIES

NINGBO JINGYI MACHINERY MANUFACTURING CO.,LTD



NINGBO JINGYI MACHINERY MANUFACTURING CO.,LTD

Established in 2006, Ningbo Jingyi is one of the major manufacturer of trailer coupler and towing accessories in China.

With the headquarters located in Ningbo, China, Ningbo Jingyi is proud to be a global supplier to all over the world with **excellent price and quality.**



TRAILER COUPLER

03-12



TRAILER JACK

13-22



BALL MOUNT

23-29



WINCHES

30-32



SAFETY CHAIN

33-35



TRAILER HITCH BALL

36-37



TOWING LIGHTS

38-39



SPARE TIRE CARRIER

40-41



COVER

40-41

TRAILER COUPLER

The trailer coupler is the foremost part of the trailer, which is used to connect the hook of the tractor to the trailer. According to the required bearing capacity, we need to choose a trailer coupler of suitable size and style to use. The coupler size must match the size of the trailer ball.



PRODUCT INDEX



04

STRAIGHT
COUPLER



05-06

A-FRAME
COUPLER



07

ADJUSTABLE
COUPLER



08

OTHER
COUPLER



09

GOOSENECK
COUPLER



10

EUROPEAN
COUPLER



10

AUSTRALIAN
COUPLER



11

LUNETTE
RING



11

CHANNEL
BRACKET



12

OTHER COUPLER
ACCESSORIES

Straight Coupler

NBJINGYI®



1BJY-TC-04



1BJY-TC-01
1BJY-TC-02
1BJY-TC-03



1BJY-TC-07



1BJY-TC-05
1BJY-TC-06

JY NO.	Ball Size	Channel Size	Capacity	SAE	Finished
1BJY-TC-01	1-7/8"	2"	2000LBS	Class I	Zinc/Black/Oil
1BJY-TC-02	1-7/8"	2-1/2"	2000LBS	Class I	Zinc/Black/Oil
1BJY-TC-03	1-7/8"	3"	2000LBS	Class I	Zinc/Black/Oil
1BJY-TC-04	2"	2"	3500LBS	Class II	Zinc/Black/Oil
1BJY-TC-05	2"	2-1/2"	3500LBS	Class II	Zinc/Black/Oil
1BJY-TC-06	2"	3"	3500LBS	Class II	Zinc/Black/Oil
1BJY-TC-07	2"	3"	5000LBS	Class III	Zinc/Black/Oil



A-Frame Coupler



JY NO.	Ball Size	Capacity	SAE/CSA	Finished
1BJY-TC-08	2"	5000LBS	Class III	Black/Zinc/Oil
1BJY-TC-09	2"	5000LBS	Class III	Black/Zinc/Oil
1BJY-TC-10	2"	7000LBS	Class IV	Black/Zinc/Oil
1BJY-TC-11	2-5/16"	12500LBS	Class IV	Black/Zinc/Oil
1BJY-TC-13	2-5/16"	10000LBS	Class IV	Black/Zinc/Oil
1BJY-TC-14	2-5/16"	14000LBS	Class IV	Black/Zinc/Oil
1BJY-TC-19	2"	5000LBS	Class III	Black/Zinc/Oil
1BJY-TC-20	2"	8000LBS	Class IV	Black/Zinc/Oil



A-Frame Coupler



NEW

1BJY-TC-42B

- **Ball size:** 2-5/16"
- **Capacity:** 15000LBS
- **Jack hole diameter:** 2-3/8"
- **Pin hole diameter:** 5/16"
- **Overall dimensions:** 17-1/2" long x 10-3/4" wide



NEW

1BJY-TC-45B / 1BJY-TC-46B

- **Ball size:** 2" / 2-5/16"
- **Capacity:** 10000LBS / 15000LBS
- **Jack hole diameter:** 2-3/8"
- **Lock pin hole diameter:** 3/8"
- **Length:** 18"



1BJY-TB-01

- **Coupler ball:** 2"
- **Arm extend:** 26"-41"
- **Capacity:** 5000LBS



Adjustable Coupler



1BJY-TC-12



1BJY-TC-15
1BJY-TC-16



1BJY-TC-17
1BJY-TC-18



1BJY-TC-25
1BJY-TC-26

JY NO.	Ball Size	Finished	Capacity	SAE
1BJY-TC-12	2-5/16"	Black/Zinc/Oil	15000LBS	Class IV
1BJY-TC-15	2"	Black/Zinc/Oil	7000LBS	Class IV
1BJY-TC-16	2-5/16"	Black/Zinc/Oil	12500LBS	Class IV
1BJY-TC-17	2"	Black/Zinc/Oil	8000LBS	Class IV
1BJY-TC-18	2-5/16"	Black/Zinc/Oil	14000LBS	Class IV
1BJY-TC-25	2"	Black/Zinc/Oil	10000LBS	Class IV
1BJY-TC-26	2-5/16"	Black/Zinc/Oil	15000LBS	Class IV



Other Coupler



1BJY-TC-25T
1BJY-TC-26T



1BJY-TC-29
1BJY-TC-30



1BJY-TC-47
1BJY-TC-48

JY NO.	Ball Size	Capacity	Finished	Bolt
1BJY-TC-25T	2"	10000LBS	Black/Zinc/Oil	/
1BJY-TC-26T	2-5/16"	15000LBS	Black/Zinc/Oil	/
1BJY-TC-29	2"	8000LBS	Black/Zinc/Oil	with/without
1BJY-TC-30	2-5/16"	14000LBS	Black/Zinc/Oil	with/without
1BJY-TC-47	2"	7500LBS	Black/Zinc/Oil	/
1BJY-TC-48	2-5/16"	10000LBS	Black/Zinc/Oil	/

1BJY-TC-40

NEW

- Gross towing weight:20000LBS
- Tongue weight:2000LBS
- Capacity:14000LBS
- Vertical channel:3-1/2"x11-3/4" w/2"
- Outer front width:4"
- Outer rear width:11"
- Front-to-back length:7-1/2"
- Equipped with 6 Adjustment Holes
- Welding status: Spare parts/Welding parts



1BJY-TC-41

NEW

- Gross towing weight:20000LBS
- Tongue weight:2000LBS
- Capacity:14000LBS
- Vertical channel:3-1/2"
- Outer front width:4"
- Outer rear width:11"
- Front-to-back length:7-1/2"
- Equipped with 6 Adjustment Holes

Trailer Coupling



1BJY-EBC-002R

1BJY-EBC-003

JY NO.	Ball Size	Channel Size	Capacity	E-Mark	Note
1BJY-EBC-001	50MM	40MM	800KG	E24	Square
1BJY-EBC-002	50MM	50MM	800KG	E24	Square
1BJY-EBC-003	50MM	60MM	800KG	E24	Square
1BJY-EBC-004	50MM	50MM	1400KG	E24	Square
1BJY-EBC-006	50MM	60MM	1400KG	E24	Square
1BJY-EBC-002R	50MM	50MM	800KG	E24	Round
1BJY-EBC-003R	50MM	60MM	800KG	E24	Round



Australian Coupler



1BJY-A03

1BJY-A04

1BJY-A05
1BJY-A05D

1BJY-A06



1BJY-A09
1BJY-A09Z

1BJY-A10

1BJY-A11

JY NO.	Hitch Ball	Capacity	Hole	Finshed
1BJY-A03	50MM	2500KG	4 Holes	Zinc
1BJY-A04	50MM	2000KG	3 Holes	Zinc
1BJY-A05	50MM	3500KG	/	Zinc
1BJY-A05D	50MM	3500KG	/	Zinc
1BJY-A06	50MM	2000KG	2 Holes	Zinc
1BJY-A09	50MM	2000KG	3 Holes	Zinc
1BJY-A09Z	50MM	2000KG	3 Holes	Zinc
1BJY-A10	50MM	3500KG	4 Holes	Zinc
1BJY-A11	50MM	3500KG	4 Holes	Zinc



Gooseneck Coupler



1BJY-TC-21

- **Ball size:** 2-5/16"
- **Capacity:** 30000LBS
- **Finished:** Black/Oil



1BJY-TC-22

- **Ball size:** 2-5/16"
- **Capacity:** 25000LBS
- **Finished:** Black/Oil



1BJY-TC-23

- **Ball size:** 2-5/16"
- **Range of vertical adjustment:** 7"
- **Capacity:** 30000LBS
- **Finished:** Black/Oil

Gooseneck Coupler



1BJY-TC-37

- **Ball size:** 2-5/16"
- **Capacity:** 30000LBS
- **Finished:** Black/Oil



1BJY-TC-38

- **Ball size:** 2-5/16"
- **Capacity:** 30000LBS
- **Finished:** Black/Oil



1BJY-TC-43

- **Ball size:** 2-5/16"
- **Capacity:** 30000LBS
- **Finished:** Black/Oil



1BJY-TC-39

JY NO.	Ball Size	Capacity	Finished
1BJY-TC-37	2-5/16"	30000LBS	Black/Oil
1BJY-TC-38	2-5/16"	30000LBS	Black/Oil
1BJY-TC-39	2-5/16"	30000LBS	Black/Oil
1BJY-TC-43	2-5/16"	30000LBS	Black/Oil

Lunette Ring



1BJY-PR-01
1BJY-PR-02



1BJY-CK-04

JY NO.	Capacity	Finished
1BJY-PR-01	14000LBS	Oil/Black
1BJY-PR-02	24000LBS	Oil/Black
1BJY-CK-04/1BJY-CK-06	14000LBS	Oil/Black

Channel Bracket



1BJY-CP-06



1BJY-CK-02

JY NO.	Hole	Capacity	Position	Finished
1BJY-CP-04	4 Holes	13000LBS	3-Position Channel	Oil/Black
1BJY-CP-06	6 Holes	15000LBS	5-Position Channel	Oil/Black
JY NO.	Trailer Coupler		Channel Bracket	Finished
1BJY-CK-02	2-5/16" Ball Size, 15000LBS Capacity(1BJY-TC-12)		4 Hole, 3-Position Channel(1BJY-CP-04)	Oil/Black

Other Coupler Accessories



Coupler Handle



1BJY-CL-01
1BJY-CL-02
1BJY-CL-03



1BJY-CL-04
1BJY-CL-05
1BJY-CL-06



1BJY-TCH-01

Safety Pin



1BJY-LP-01



1BJY-LP-02



1BJY-LP-03

JY NO.	Product Detail	Capacity	Finished
1BJY-CL-01	Repair Kit for 1-7/8" Ball Straight Channel Couplers	2000LBS	Zinc
1BJY-CL-02	Repair Kit for 2" Ball Straight Channel Couplers	3500LBS	Zinc
1BJY-CL-03	Repair Kit for 2" Ball Straight Channel Couplers	5000LBS	Zinc
1BJY-CL-04	Repair Kit for 1-7/8" Ball Straight Channel Couplers with Chain	2000LBS	Zinc
1BJY-CL-05	Repair Kit for 2" Ball Straight Channel Couplers with Chain	3500LBS	Zinc
1BJY-CL-06	Repair Kit for 2" Ball Straight Channel Couplers with Chain	5000LBS	Zinc
JY NO.	Product Detail		Finished
1BJY-TCH-01	Fits 1-7/8" and 2" couplers		Zinc
1BJY-LP-01	Pin with steel ball		Zinc
1BJY-LP-02	Φ6 Snapper Pin for Jack Foot, Caster Wheel and Couplers		Zinc
1BJY-LP-03	Pin for 7K and 12.5K Sleeve Lock Couplers		Zinc



TRAILER JACK

Trailer jacks or tongue jacks, are used to raise and stabilize a trailer so it can be attached to the towing vehicle. It's one of many hitch accessories used to make the process of towing a little easier.



PRODUCT INDEX



Marine Jack



1BJY-TJ-01
1BJY-TJ-02

1BJY-TJ-04

1BJY-TJ-06S
1BJY-TJ-08
1BJY-TJ-08S
1BJY-TJ-64

1BJY-TJ-03
1BJY-TJ-05
1BJY-TJ-09
1BJY-TJ-10

JY NO.	Capacity	Travel	Finished	Handle Type	Wheel	Feature
1BJY-TJ-01	1000LBS	10"	Zinc	Side	1*6"	Round,Snap Ring
1BJY-TJ-02	1000LBS	10"	Powder+Zinc	Side	1*6"	Round,Snap Ring
1BJY-TJ-03	1000LBS	10"	Zinc	Side	1*6"	Round,Bolt
1BJY-TJ-04	1000LBS	10"	Powder+Zinc	Top	1*6"	Round,Snap Ring
1BJY-TJ-05	1500LBS	10"	Zinc	Side	1*6"	Round,Bolt
1BJY-TJ-09	1500LBS	10"	Zinc	Side	1*8"	Round,Bolt
1BJY-TJ-10	1500LBS	10"	Zinc	Side	1*8"	Round,Bolt
1BJY-TJ-06	1500LBS	10"	Zinc	Side	2*6"	Round,Snap Ring, Single Wheel Rack
1BJY-TJ-06S	1500LBS	10"	Zinc	Side	2*6"	Round,Bolt, Single Wheel Rack
1BJY-TJ-64	2000LBS	12"	Zinc	Side	2*6"	Round,Bolt, Double Wheel Rack
1BJY-TJ-08	2000LBS	10"	Zinc	Side	2*8"	Round,Bolt, Double Wheel Rack
1BJY-TJ-08S	2000LBS	12"	Zinc	Side	2*8"	Round,Bolt, Double Wheel Rack

A-Frame Jack



JY NO.	Capacity	Travel	Finished	Handle Type	Wheel/Base	Feature
1BJY-TJ-07	2000LBS	15"	Black	Top	without	Round
1BJY-TJ-07FT	2000LBS	15"	Black	Top	with Foot	Round
1BJY-TJ-07S	2000LBS	15"	Black	Top	2*6" Wheel	Round
1BJY-TJ-24	2000LBS	14"	Black	Top	without	Round
1BJY-TJ-26	5000LBS	15"	Black	Top	without	Round
1BJY-TJ-17	2000LBS	10"	Black	Top	without	Round
1BJY-TJ-18	5000LBS	15"	Black	Top	without	Round
1BJY-TJ-19	2000LBS	15"	Black	Side	without	Round
1BJY-TJ-20	5000LBS	15"	Black	Side	without	Round
1BJY-TJ-28	2000LBS	10"	Grey	/	without	Round
1BJY-TJ-45	5000LBS	15"	Black	Side	without	Round
1BJY-TJ-46	2000LBS	15"	Black	Side	without	Round
1BJY-TJ-48	5000LBS	14"	Black	Side	without	Round



Swivel Jack



JY NO.	Capacity	Travel	Finished	Handle Type	Feature
1BJY-TJ-11	2000LBS	10"	Black/Zinc	Top	Round
1BJY-TJ-12	2000LBS	15"	Black/Zinc	Top	Round
1BJY-TJ-13	5000LBS	10"	Black/Zinc	Top	Round
1BJY-TJ-14	5000LBS	15"	Black/Zinc	Top	Round
1BJY-TJ-15	2000LBS	10"	Black/Zinc	Top	Round
1BJY-TJ-16	2000LBS	15"	Black/Zinc	Top	Round
1BJY-TJ-21	2000LBS	10"	Black/Zinc	Top	Round
1BJY-TJ-22	2000LBS	15"	Black/Zinc	Top	Round
1BJY-TJ-23	2000LBS	10"	Black/Zinc	Side	Round
1BJY-TJ-30	2000LBS	10"	Black/Zinc	Side	Round
1BJY-TJ-31	2000LBS	15"	Black/Zinc	Side	Square
1BJY-TJ-32	5000LBS	10"	Black/Zinc	Side	Square
1BJY-TJ-33	5000LBS	15"	Black/Zinc	Side	Square
1BJY-TJ-34	7000LBS	15"	Black/Zinc	Side	Square
1BJY-TJ-34S	7000LBS	15"+13"	Black/Zinc	Side	Square

Swivel Jack



1BJY-TJ-42
1BJY-TJ-43



1BJY-TJ-49
1BJY-TJ-50
1BJY-TJ-51
1BJY-TJ-52



1BJY-TJ-69
1BJY-TJ-70
1BJY-TJ-71
1BJY-TJ-72

JY NO.	Capacity	Travel	Finished	Handle Type	Feature
1BJY-TJ-42	2000LBS	10"	Zinc	Side	Round
1BJY-TJ-43	2000LBS	15"	Zinc	Side	Round
1BJY-TJ-49	2000LBS	10"	Black	Side	Round
1BJY-TJ-50	2000LBS	15"	Black	Side	Round
1BJY-TJ-51	5000LBS	10"	Black	Side	Round
1BJY-TJ-52	5000LBS	15"	Black	Side	Round
1BJY-TJ-69	2000LBS	10"	Black	Side	Round
1BJY-TJ-70	2000LBS	15"	Black	Side	Round
1BJY-TJ-71	5000LBS	10"	Black	Side	Round
1BJY-TJ-72	5000LBS	15"	Black	Side	Round



Electric Jack



1BJY-321



1BJY-322



1BJY-334



1BJY-324

JY NO.	Capacity	Motor	Travel	Finished
1BJY-321	3500LBS	12V	15"	Black
1BJY-322	3500LBS	12V	18"	Black
1BJY-334	3500LBS	12V	14"+8"	Black
1BJY-324	4000LBS	12V	14"+8"	Black+Zinc Pin





1BJY-ETJ-001
1BJY-ETJ-002
1BJY-ETJ-003
1BJY-ETJ-004
1BJY-ETJ-005

1BJY-ETJ-006

1BJY-ETJ-007
1BJY-ETJ-010

1BJY-ETJ-013
1BJY-ETJ-017
1BJY-ETJ-018

1BJY-ETJ-016

JY NO.	Capacity	Travel	Finished	Handle Type	Feature
1BJY-ETJ-001	200KG	200MM	Zinc	Top	Square
1BJY-ETJ-002	300KG	200MM	Zinc	Top	Square
1BJY-ETJ-003	600KG	200MM	Zinc	Top	Square
1BJY-ETJ-004	1000KG	200MM	Zinc	Top	Square
1BJY-ETJ-005	1200KG	200MM	Zinc	Top	Square
1BJY-ETJ-006	500KG	300MM	Zinc	Top	Round
1BJY-ETJ-007	136KG	200MM	Zinc	Top	Round
1BJY-ETJ-010	80KG	245MM	Zinc	Top	Round
1BJY-ETJ-013	680KG	260MM	Zinc	Top	Round
1BJY-ETJ-016	680KG	260MM	Zinc	Top	Round
1BJY-ETJ-017	680KG	260MM	Zinc	Top	Round
1BJY-ETJ-018	900KG	260MM	Zinc	Top	Round



1BJY-ETJ-021
1BJY-ETJ-022
1BJY-ETJ-028

1BJY-ETJ-24
1BJY-ETJ-26

1BJY-ETJ-25
1BJY-ETJ-27

1BJY-ETJ-029

1BJY-JMB-018

JY NO.	Capacity	Travel	Finished	Handle Type	Feature
1BJY-ETJ-021	400KG	380MM	Zinc	Top	Round
1BJY-ETJ-022	400KG	300MM	Zinc	Top	Round
1BJY-ETJ-024	136KG	240MM	Zinc	Top	Round
1BJY-ETJ-025	136KG	240MM	Zinc	Top	Round
1BJY-ETJ-026	272KG	240MM	Zinc	Top	Round
1BJY-ETJ-027	136KG	240MM	Zinc	Top	Round
1BJY-ETJ-028	272KG	240MM	Zinc	Top	Round
1BJY-ETJ-029	272KG	240MM	Zinc	Top	Round
1BJY-JMB-018	300KG	/	Zinc	/	Round



Direct-Weld Square Jack



JY NO.	Capacity	Travel	Finished	Handle Type	Feature
1BJY-TJ-35	7000LBS	15"+13"	Black	Top	Square
1BJY-TJ-36	7000LBS	15"	Zinc	Top	Square
1BJY-TJ-37	5000LBS	10"	Black	Top	Square
1BJY-TJ-38	5000LBS	15"	Black	Top	Square
1BJY-TJ-39	7000LBS	15"	Black	Top	Square
1BJY-TJ-40	7000LBS	15"+13"	Black	Top	Square
1BJY-TJ-54	7000LBS	15"+13"	Black	Side	Square
1BJY-TJ-55	12000LBS	12.5"+13.5"	Black	Pin-Front	Square
1BJY-TJ-56	12000LBS	12.5"+13.5"	Black	Pin-Side	Square
1BJY-TJ-66	7000LBS	15"+13"	Zinc	Side	Square
1BJY-TJ-67	7000LBS	15"+13"	Zinc	Side	Square,Different Plate



RV Stabilizer Jack



JY NO.	Capacity	Min. Lifting Height	Max. Lifting Height
1BJY-LS-01	5000LBS	19"	47"
1BJY-LS-03	5000LBS	19"	42"
1BJY-LS-04	1000LBS	4-5/8"	8"
1BJY-LS-05	1000LBS	7-5/8"	14"
1BJY-LS-07	5000LBS	22"	48"

JY NO.	Capacity	Extended Height	Retracted Height
1BJY-LS-02	1000LBS	18"	11-1/2"



Jockey Wheel Clamps



1BJY-JMB-16



1BJY-JMB-17



1BJY-JMB-19

JY NO.	Capacity	Diameter	Finished
1BJY-JMB-16	300KG	48MM	Zinc
1BJY-JMB-17	400KG	60MM	Zinc
1BJY-JMB-19	75KG	35MM	Zinc



1BJY-JMB-05



1BJY-JMB-06
1BJY-JMB-08



1BJY-JMB-07



1BJY-JMB-10

JY NO.	Size	Material
1BJY-JMB-05	255*55MM	Rubber
1BJY-JMB-06	200*50MM	Rubber Powder
1BJY-JMB-07	260*85MM	Rubber
1BJY-JMB-08	225*60MM	Rubber Powder
1BJY-JMB-10	200*55MM	Rubber

Jack Accessories



1BJY-JW-01



1BJY-JW-02



1BJY-JW-03



1BJY-JW-04

JY NO.	Capacity	Type	Wheel
1BJY-JW-01	1200LBS	Single	1*6"
1BJY-JW-02	2000LBS	Double	2*6"
1BJY-JW-03	1200LBS	Single	1*6"
1BJY-JW-04	2000LBS	Double	2*6"

Trailer Jack Foot



1BJY-JT-05



1BJY-JT-02



1BJY-JT-01



1BJY-JT-04



1BJY-JT-07



1BJY-JT-06

JY NO.	Capacity	Finished	Diameter	Height
1BJY-JT-01	5000LBS	Zinc	2"	3-1/4"
1BJY-JT-02	5000LBS	Zinc	2"	7-1/2"
1BJY-JT-04	5000LBS	Zinc	2"	2"
1BJY-JT-05	5000LBS	Zinc	2"	12"
1BJY-JT-06	2000LBS	Zinc	2"	1-1/2"
1BJY-JT-07	7000LBS	Zinc	2"*2"	16-8/9"

1BJY-JG-01

1BJY-JG-02

1BJY-JG-03

1BJY-JG-04

1BJY-JH-01

1BJY-JH-02

1BJY-JH-03

1BJY-JH-04

1BJY-JH-05

1BJY-JH-06

1BJY-JH-07

1BJY-JH-08

1BJY-JHG-01

1BJY-JHG-02

1BJY-JMB-01

1BJY-JMB-02

1BJY-JMB-03

1BJY-PM-01

1BJY-PM-02

1BJY-PM-03

1BJY-JB-01

1BJY-JB-02

1BJY-JB-03

Trailer Jack Support Plate



JY NO.	Width	Depth	Hole Measures	Thickness
1BJY-SP-01	6-3/4" at widest point 3-1/8" at narrowest point	4-1/2"	2-1/3"	3mm
1BJY-SP-02	8-5/16" at widest point 5-1/2" at narrowest point	3-3/4"	2-1/3"	3mm

1BJY-JP-01

1BJY-JP-02

1BJY-JP-03

1BJY-JP-04

1BJY-JP-05

1BJY-JC-01

1BJY-JC-02

1BJY-JC-03

1BJY-JSR-01

1BJY-JHC-01

1BJY-JLN-01

BALL MOUNT

NBJINGYI trailer hitch ball mount offers a reliable connection for your vehicle and trailer. Ball mounts are available with 1-1/4", 2", 2-1/2" and 3" shanks. We offer everything from standard to specialized, including adjustable ball mount options. From camping trips to commercial jobs, find the right ball hitch from NBJINGYI.

PRODUCT INDEX

24

TRAILER BALL MOUNT

25-26

MULTI-BALL MOUNT

27

ALUMINIUM ALLOY BALL MOUNT

28

PINTLE HOOK

28

PINTLE MOUNT

29

RECEIVER TUBE

29

TRAILER HITCH TIGHTENER

27

www.nbjingyi.com

www.jytrailer.com

www.nbjingyi.com

www.jytrailer.com

28


Multi-Ball Mount



JY NO.	Shank Length	Receiver Tube	Ball Diameter	Shank	GTW	TW	Note
1BJY-HM-23	8"	2"x2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Black
1BJY-HM-24	8"	2"x2"	2"/2-5/16"	Hollow	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-25	8"	2"x2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Silver
1BJY-HM-26	8"	2"x2"	2"/2-5/16"	Hollow	6000/ 10000LBS	600/ 1000LBS	Silver
1BJY-HM-30	7"/8.5"	2"x2"	1-7/8"/2"/2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Body Black Hitch Ball Silver
1BJY-HM-31	7"/8.5"	2"x2"	1-7/8"/2"/2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Zinc
1BJY-HM-32	7"/8.5"	2"x2"	1-7/8"/2"/2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Black
1BJY-HM-52	8.5"	2"x2"	2"/2-5/16"	Hollow	6000/ 10000LBS	600/ 1000LBS	Black




Adjustale Ball Mount



JY NO.	Drop	Rise	Receiver Tube	Shank Length	Ball Diameter	GTW	TW	Note
1BJY-HM-44	0-6"	0-6"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Sliver
1BJY-HM-45	0-6"	0-6"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Red
1BJY-HM-46	0-6"	0-6"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-63	0-4"	0-4"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-64	0-6"	0-6"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-65	0-8"	0-8"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-66	0-10"	0-10"	2" x 2"	12"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-62	6"	5-1/4"	2" x 2"	17"	2"/2-5/16"	6000/ 10000LBS	600/ 1000LBS	Black
1BJY-HM-67	5-3/4"	4"	2" x 2"	15-1/4"	1-7/8"/2"/ 2-5/16"	2000/6000/ 10000LBS	200/600/ 1000LBS	Black



Trailer Ball Mount



- **A.** The distance is from the top of the receiver tube to the level ground.
- **B.** The distance is from the bottom of the ball platform to the level ground.
- **C.** Drop is the distance the ball platform is set below the top of the shank.
- Rise is the distance the ball platform is set above the top of the shank.

JY NO.	Drop	Rise	Shank Length	Receiver Tube	Hole Diameter	Shank	Capacity	Note
1BJY-HM-68	2"	3/4"	8-1/2"	2"*2"	1"	Hollow	5000LBS	Silver
1BJY-HM-69	2"	3/4"	8-1/2"	2"*2"	1"	Hollow	6000LBS	Black
1BJY-HM-70	3"	1-3/4"	8-1/2"	2"*2"	1"	Hollow	6000LBS	Silver
1BJY-HM-71	3"	1-3/4"	8-1/2"	2"*2"	1"	Hollow	6000LBS	Black
1BJY-HM-72	4"	2-3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Silver
1BJY-HM-73	4"	2-3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Black
1BJY-HM-74	5"	3-3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Silver
1BJY-HM-75	5"	3-3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Black
1BJY-HM-07	6"	4-3/4"	10-1/4"	2"*2"	1"	Hollow	7500LBS	Silver
1BJY-HM-76	6"	4-3/4"	10-1/4"	2"*2"	1"	Hollow	7500LBS	Black
1BJY-HM-37	2"	3/4"	8-1/2"	2"*2"	1"	Hollow	6000LBS	Silver
1BJY-HM-38	4"	3/4"	10-1/4"	2"*2"	1"	Hollow	6000LBS	Black



Pintle Hook



1BJY-PH-01A

1BJY-PH-01B
1BJY-PH-01C
1BJY-PH-01D



1BJY-PH-02A

1BJY-PH-02B
1BJY-PH-02C
1BJY-PH-02D

JY NO.	Receiver Tube	Ball Diameter	Capacity
1BJY-PH-01A	2"*2"	No Ball	8T
1BJY-PH-01B	2"*2"	1-7/8"	2000LBS
1BJY-PH-01C	2"*2"	2"	6000LBS
1BJY-PH-01D	2"*2"	2-5/16"	10000LBS
1BJY-PH-02A	2"*2"	No Ball	8T
1BJY-PH-02B	2"*2"	1-7/8"	2000LBS
1BJY-PH-02C	2"*2"	2"	6000LBS
1BJY-PH-02D	2"*2"	2-5/16"	10000LBS

Pintle Mount



1BJY-HA-14
1BJY-HA-14S
1BJY-HA-17



JY NO.	Shank Length	Receiver Tube	Plate Hole	Width	Hitch Pin Hole	Shank	Capacity
1BJY-HA-14	8"	2"*2"	17/32"	3-3/8"	5/8"	Solid	10000LBS
1BJY-HA-14S	12"	2"*2"	17/32"	3-3/8"	5/8"	Solid	10000LBS
1BJY-HA-17	12-1/2"	2"*2"	17/32"	5/8"	5/8"	Solid	10000LBS

Multi-Ball Mount



JY NO.	Shank Length	Receiver Tube	Ball Diameter	Shank	GTW	TW	Note
1BJY-HM-34	7"/8.5"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Black
1BJY-HM-35	7"/8.5"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Body Black Hitch Ball Silver
1BJY-HM-57	7"/8.5"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Red
1BJY-HM-58	8"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Red
1BJY-HM-59	8"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Black
1BJY-HM-60	8"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Body Black Hitch Ball Silver
1BJY-HM-61	8"	2"*2"	1-7/8"/2"/ 2-5/16"	Hollow	2000/6000/ 10000LBS	200/600/ 1000LBS	Silver

JY NO.	Drop	Rise	Shank Length	Receiver Tube	Ball Diameter	Shank	GTW	TW	Note
1BJY-HM-22	8"	2"	10.5"	2"*2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Black
1BJY-HM-53	8"	2"	10.5"	2"*2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Zinc
1BJY-HM-54	8"	2"	10.5"	2"*2"	1-7/8"/2"	Hollow	2000/ 6000LBS	200/ 600LBS	Body Black Hitch Ball Silver



Receiver Tube



JY NO.	Inner	Length	Hitch Pin Hole	Capacity
1BJY-RT-01	2"*2"	6"	5/8"	10000LBS
1BJY-RT-02	2"*2"	8"	5/8"	10000LBS
1BJY-RT-03	2"*2"	12"	5/8"	10000LBS
1BJY-RT-04	2"*2"	18"	5/8"	10000LBS
1BJY-RT-05	2"*2"	24"	5/8"	10000LBS

Trailer Hitch Tightener

- Hitch Plate - Carbon Steel - Black Paint - U Bolt - Zinc Plated.
- Perfect for locking 1.25" and 2" hitches, compatible with most hitches classes I, II, III, and IV (1, 2, 3 and 4). Suitable for trailer truck SUV sedan RV camper van and minivan.



WINCHES

NBJINGYI winches are perfect for adding functionality to your trailer. There are available in 600LBS to 16800LBS capacities and various sizes. We also provide many specifications of winch straps, as well as cambuckle straps and ratcheting straps for light and heavy items.



Hand Winch



JY NO.	Capacity	Gear Ratio
1BJY-HW-01	600LBS	3.2:1
1BJY-HW-02	800LBS	3.2:1
1BJY-HW-03	1000LBS	4:1
1BJY-HW-04	1000LBS	4:1
1BJY-HW-05	1400LBS	4:1
1BJY-HW-06	1600LBS	5:1
1BJY-HW-07	1800LBS	4:1/8:1
1BJY-HW-08	2000LBS	4:1/8:1
1BJY-HW-09	2500LBS	4:1/8:1
1BJY-HW-10	3000LBS	4:1/8:1
1BJY-HW-11	3500LBS	4:1/8:1
1BJY-HW-14	2600LBS	4:1/8:1
1BJY-HW-17	800LBS	3.1:1

JY NO.	Capacity	Belt Size	Gear Ratio
1BJY-HW-01B	600LBS	6m	3.2:1
1BJY-HW-02B	800LBS	8m	3.2:1
1BJY-HW-03B	1000LBS	7.5m	4:1
1BJY-HW-04B	1200LBS	7m	4:1
1BJY-HW-05B	1400LBS	7m	4:1
1BJY-HW-06B	1600LBS	7m	5:1
1BJY-HW-07B	1800LBS	8m	4:1/8:1
1BJY-HW-08B	2000LBS	8m	4:1/8:1
1BJY-HW-09B	2500LBS	8m	4:1/8:1
1BJY-HW-10B	3000LBS	8m	4:1/8:1
1BJY-HW-11B	3500LBS	10m	4:1/8:1
1BJY-HW-12B	1500LBS	6m	4.1:1
1BJY-HW-13B	3500LBS	10m	4:1/8:1
1BJY-HW-14B	3500LBS	10m	4:1/8:1
1BJY-HW-15B	900LBS	4.5m	4.1:1
1BJY-HW-16B	900LBS	4.5m	3.2:1

JY NO.	Capacity	Steel Wire Size	Gear Ratio
1BJY-HW-01S	600LBS	4.5mmX8m	3.2:1
1BJY-HW-02S	800LBS	4.5mmX8m	3.2:1
1BJY-HW-03S	1000LBS	4.5mmX8m	4:1
1BJY-HW-04S	1200LBS	4.5mmX5m	4:1
1BJY-HW-05S	1400LBS	4.5mmX8m	4:1
1BJY-HW-06S	1600LBS	4.8mmX10m	5:1
1BJY-HW-07S	1800LBS	4.8mmX10m	4:1/8:1
1BJY-HW-08S	2000LBS	4.8mmX10m	4:1/8:1
1BJY-HW-09S	2500LBS	4.8mmX10m	4:1/8:1
1BJY-HW-10S	3000LBS	5.0mmX10m	4:1/8:1
1BJY-HW-11S	3500LBS	6.0mm*10m	4:1/8:1

PRODUCT INDEX



31
HAND
WINCH



32
ELECTRIC
WINCH



32
TIE DOWN
STRAP



JY NO.	Gear ratio	MountingBolt pattern	Capacity	Motor
1BJY-EW-01	265:1	254mm×114.3mm	12000LBS	3.9kw/5.35hp, series wound
1BJY-EW-02	235:1	254mm×114.3mm	8500LBS	3.2kw/4.3hp, permanent magnet
1BJY-EW-03	312.4:1	254mm×114.3mm	16000LBS	12V 5.6hp/4.2kw 24V 6.17hp/4.6kw,series wound
1BJY-EW-04	265:1	255mm×114mm Φ11	9500LBS	3.6kw/4.9hp, permanent magnet
1BJY-EW-05	235:1	255mm×114mm Φ11	8000LBS	3.0kw/4.1hp, permanent magnet
1BJY-EW-06	235:1	165mm×114mm Φ11	6000LBS	2.0kw/2.7hp, permanent magnet
1BJY-EW-07	265:1	255mm*114mm, Ø111B	10000LBS	3.9kw/5.35hp, series wound
1BJY-EW-08	265:1	254mm×114.3mm	13000LBS	4.1kw/5.6hp, series wound
1BJY-EW-09	358:1	254mm×114.3mm	15000LBS	4.0kw/5.4hp, series wound
1BJY-EW-10	358:1	254mm×114.3mm	16800LBS	4.4kw/6.0hp, series wound
1BJY-EW-11	153:1	285mm*105mm	2000LBS	12v/1.0hp permanent magnet
1BJY-EW-12	153:1	285mm*105mm	3000LBS	0.9kw/1.2hp/12v permanent magnet
JY NO.	Size	LC		
1BJY-RS-09	25mm x 1.8m	300DAN		
JY NO.	Size	Capacity		
RTD0012	6' x 2"	3333LBS		
RTD0011	10' x 2"	15000LBS		

SAFETY CHAIN

We offer a variety of styles and specifications of safety chains in case your trailer should become uncoupled from your towing setup. Chains are available with either Clevis Slip Hook or Clevis Grab Hook and are available in white or yellow zinc.



PRODUCT INDEX



34

SAFETY CHAIN



35

CLEVIS SLIP HOOK



35

CLEVIS GRAB HOOK



35

WELD-ON FORGED D RING

Safety Chain



JY NO.	Chain size	Chain lenth	S-hook size	Capacity
1BJY-SC-01-100	3/16"	100cm	3/8"	2000LBS
1BJY-SC-02	3/16"	66cm	3/8"	3000LBS
1BJY-SC-02-100	3/16"	100cm	3/8"	3000LBS
1BJY-SC-02A-TWO	3/16"	122cm	3/8"	3000LBS
1BJY-SC-03	1/4"	66cm	7/16"	5000LBS
1BJY-SC-03-100	1/4"	100cm	7/16"	5000LBS
1BJY-SC-03A	1/4"	122cm	7/16"	5000LBS
1BJY-SC-04	5/16"	66cm	17/32"	7000LBS
1BJY-SC-04-100	5/16"	100cm	17/32"	7000LBS
1BJY-SC-04A	5/16"	80cm	7/16"	5000LBS
1BJY-SC-05	3/8"	66cm	17/32"	7000LBS
1BJY-SC-05-100	3/8"	100cm	17/32"	7000LBS
1BJY-SC-05A	3/8"	80cm	17/32"	7000LBS
1BJY-SC-24	3/8"	140cm	7/16"	5000LBS
1BJY-SC-25	3/8"	140cm	17/32"	7000LBS



JY NO.	Chain size	Chain lenth	Chain Grade	Capacity
1BJY-SC-11	1/4"	66cm	G-43 High Test	7300LBS
1BJY-SC-12	5/16"	80cm	G-43 High Test	10700LBS
1BJY-SC-13-100	3/8"	100cm	G-43 High Test	15000LBS
1BJY-SC-13-66	3/8"	66cm	G-43 High Test	15000LBS
1BJY-SC-13L	3/8"	32"	G-43 High Test	15000LBS
1BJY-SC-14	1/4"	66cm	G-70 Transport Chain	12000LBS
1BJY-SC-14L	1/4"	32"	G-70 Transport Chain	12000LBS
1BJY-SC-15	5/16"	66cm	G-70 Transport Chain	17600LBS
1BJY-SC-15A	5/16"	35"	G-70 Transport Chain	17600LBS
1BJY-SC-15L	5/16"	32"	G-70 Transport Chain	17600LBS
1BJY-SC-16	3/8"	66cm	G-70 Transport Chain	24500LBS
1BJY-SC-16A	3/8"	35"	G-70 Transport Chain	24500LBS
1BJY-SC-18	5/16"	35"	G-70 Transport Chain	17600LBS
1BJY-SC-19	5/16"	35"	G-70 Transport Chain	17600LBS
1BJY-SC-20	3/8"	35"	G-43 High Test	15000LBS
1BJY-SC-21	1/4"	36"	G-70 Transport Chain	12000LBS
1BJY-SC-31	5/16"	20'	G-70 Transport Chain	17600LBS
1BJY-SC-32	5/16"	14'	G-70 Transport Chain	17600LBS
1BJY-SC-33	3/8"	20'	G-70 Transport Chain	24500LBS

Clevis Slip Hook



Clevis Grab Hook



Weld-On Forged D Ring



JY NO.	Size	Class	Color
1BJY-CSH-01	1/2"	G70	Gold/Zinc
1BJY-CSH-02	1/4"	G70	Gold/Zinc
1BJY-CSH-03	7/16"	G70	Gold/Zinc
1BJY-CSH-04	5/8"	G70	Gold/Zinc
1BJY-CSH-05	5/16"	G70	Gold/Zinc
1BJY-CSH-06	3/8"	G70	Gold/Zinc
1BJY-CSH-07	1/2"	G70	Gold/Zinc
1BJY-CSH-08	1/4"	G70	Gold/Zinc
1BJY-CSH-09	7/16"	G70	Gold/Zinc
1BJY-CSH-10	5/8"	G70	Gold/Zinc
1BJY-CSH-11	5/16"	G70	Gold/Zinc
1BJY-CSH-12	3/8"	G70	Gold/Zinc



JY NO.	Description	Diameter	Interior Dimensions	Working Load	Maximum Load
1BJY-DR-01	1" Lashing Ring 3"X4"- Wele on	1"	3"*3-1/2"*4"	15586LBS	47000LBS
1BJY-DR-02	1" Lashing Ring 3"X4"-Weld On Bulk	1"	3"*3-1/2"*4"	15586LBS	47000LBS
1BJY-DR-03	1" Lashing W/ 360° Rotation	1"	3"*3"	15586LBS	47000LBS
1BJY-DR-04	Forged Ged Lashing Ring 1"-55°	1"	3"*3-1/2"	15586LBS	47000LBS
1BJY-DR-05	Forged Ged Lashing Ring 1"-55° Bulk	1"	3"*3-1/2"	15586LBS	47000LBS
1BJY-DR-06	Lashing Ring 1" - Weld On	1"	3"*3"	15666LBS	47000LBS
1BJY-DR-07	Lashing Ring 1/2" - Weld On	1/2"	2-1/4"*2-1/2"	4000LBS	12000LBS
1BJY-DR-08	Lashing Ring 1/2" - Weld On Bulk	1/2"	2-1/4"*2-1/2"	4000LBS	12000LBS
1BJY-DR-09	Lashing Ring 1/2"-Bolt On 3/8" Hole	1/2"	/	4000LBS	12000LBS
1BJY-DR-10	Lashing Ring 3/4" - Weld On	3/4"	3"*3"	8833LBS	26500LBS
1BJY-DR-11	Lashing Ring 5/8" - Weld On	5/8"	3"*3"	6000LBS	18000LBS
1BJY-DR-12	Lashing Ring 5/8" - Weld On Bulk	5/8"	3"*3"	6000LBS	18000LBS

TRAILER HITCH BALL

NBJINGYI trailer hitch ball mount offers a reliable connection for your vehicle and trailer. Ball mounts are available with 1-1/4", 2", 2-1/2" and 3" shanks. We offer everything from standard to specialized, including adjustable ball mount options. From camping trips to commercial jobs, find the right ball hitch from NBJINGYI.



PRODUCT INDEX



37 TRAILER HITCH BALL

Trailer Hitch Ball



JY NO.	Ball Dia.	Shank Dia.	Shank Length	Capacity	JY NO.	Ball Dia.	Shank Dia.	Shank Length	Capacity
1BJY-HB-01	1-7/8"	3/4"	1-1/2"	2000LBS	1BJY-HB-24	2"	1"	2-1/8"	6000LBS
1BJY-HB-03	1-7/8"	3/4"	1-3/4"	2000LBS	1BJY-HB-26	2"	1"	2-1/8"	6000LBS
1BJY-HB-04	1-7/8"	3/4"	2"	2000LBS	1BJY-HB-27	2"	1"	2-1/2"	6000LBS
1BJY-HB-05	1-7/8"	3/4"	2-5/16"	2000LBS	1BJY-HB-28	2"	1"	2-1/4"	6000LBS
1BJY-HB-06	1-7/8"	3/4"	2-1/2"	2000LBS	1BJY-HB-29	2"	1"	3"	6000LBS
1BJY-HB-07	1-7/8"	3/4"	3"	2000LBS	1BJY-HB-30	2"	1"	2-5/16"	6000LBS
1BJY-HB-08	2"	1"	2.13"	7500LBS	1BJY-HB-32	2"	2-1/4"	2-1/4"	5000LBS
1BJY-HB-09	1-7/8"	1"	2"	3500LBS	1BJY-HB-33	2-5/16"	1"	2"	7500LBS
1BJY-HB-10	1-7/8"	1"	2-1/8"	3500LBS	1BJY-HB-34	2-5/16"	1"	2-1/8"	7500LBS
1BJY-HB-11	2"	1"	5cm	6000LBS	1BJY-HB-35	2-5/16"	1"	2-1/2"	7500LBS
1BJY-HB-12	1-7/8"	1"	2-1/2"	3500LBS	1BJY-HB-36	2-5/16"	1"	3"	7500LBS
1BJY-HB-13	1-7/8"	1"	3"	3500LBS	1BJY-HB-39	2-5/16"	2-1/4"	2-1/2"	10000LBS
1BJY-HB-15	2"	3/4"	1-1/2"	3500LBS	1BJY-HB-46C	50mm	22.5mm	54mm	1.6T
1BJY-HB-16	2"	3/4"	1-3/4"	3500LBS	1BJY-HB-47	50mm	22"	50mm	3.5T
1BJY-HB-17	2"	3/4"	2"	3500LBS	1BJY-HB-48	50mm	22"	54mm	3.5T
1BJY-HB-18	2"	3/4"	2-1/8"	3500LBS	1BJY-HB-49	50mm	22"	65mm	3.5T
1BJY-HB-19	2"	3/4"	2-5/16"	3500LBS	1BJY-HB-50	50mm	7/8"	50mm	3.5T
1BJY-HB-20	2"	3/4"	2-1/2"	3500LBS	1BJY-HB-51	50mm	7/8"	54mm	3.5T
1BJY-HB-21	2"	3/4"	3"	3500LBS	1BJY-HB-52	50mm	7/8"	65mm	3500LBS
1BJY-HB-22	2"	3/4"	2-1/4"	3500LBS	1BJY-HB-53	2"	1"	54mm	7500LBS
1BJY-HB-23	2"	1"	2"	5000LBS	1BJY-HB-54	1-7/8"	5/8"	1-3/4"	2000LBS



TRAILER LIGHTS

All trailers must have tail lights, turn signals, reflectors and stop lights.



PRODUCT INDEX



39

TRAILER LIGHT
KIT



39

STOP/TURN/
TAIL LIGHTS



39

MARKER CLEARANCE
LIGHTS

Trailer Light Kit

NBJINGYI®



1BJY-TL-01



1BJY-TL-02



1BJY-TL-03



1BJY-TL-04

- 12V, LED / 12V, Bulb
- Applicable to All Trailers Over and Under 80" Wide
- Kit Includes: 2 Taillights, 20Ft Wiring Harness With Standard 4-Pin Connector, License Plate Bracket, Mounting Hardware



1BJY-TL-05

- 12V, LED
- 20Ft Wiring Harness With Standard 4-Pin Connectors
- 80" Cord in Between The Lights



1BJY-TL-06

- 6" Oval Led Trailer Tail Lights 10 LED, Rubber Grommets, Wiring Pigtails and 3-way Plug



1BJY-TL-07

- 4" Round Red 12 LED Trailer Lights



1BJY-TL-08

- 6" Oval Trailer Tail Lights Red 6 LED 3 Wires Connection System



1BJY-TL-09

- 16 LED Trailer Tail Light
- 5 Function options (Including Number plate light)



1BJY-TL-10

- 10" 15 LED Trailer Identification Light Working Voltage is DC 9 to 30-volt



1BJY-TL-11

- 2" Sealed LED amber light kit



1BJY-TL-12


- LED 3/4" Red with 2 Wire Leads 8-16 Volt Operating Range

OTHER TRAILER ACCESSORIES

We have many more trailer accessories available for you.



PRODUCT INDEX



41
SPARE TIRE
CARRIER



41
RV
COVER




41
BOAT
COVER



41
TIRE
COVER

Other Trailer Accessories

NBJINGYI®



STC0001

Spare Tire Carrier

- Steel, Black powder coating, for 1 tire, with bolts, Universal for kinds of trailer
- Fits 4" & 5" Lugs Wheels.



All Cover Products Support Customization




RV Cover



Boat Cover



Trailer Jack Cover



Tire Cover